



SPEC HARDWARE (Pty) Ltd.

8 Makepeace Crescent
Perseverance
Port Elizabeth
6000
Tel: 041 463 3670

Unit 29
Point Business Park
cnr Koeberg &
Marinus Rd
Milnerton





Paint



- Paint Brush Blondie
(12, 25,38, 50, 75, 100, 150mm)
- Radiator Brush
(25, 50, 75mm)
- Paint rollers + refills
- Varnish (1Lt, 5Lt)
- Spray Guns + Spray tips
- Waterpaper sheets
P40, P60, P80, P100
P120, P160, P180, P220
P320, P400, P600, P800
P1000, P1200, P1500, P2000
- Cabinet Paper
Assorted Grits
- Sandpaper Rolls
P40, P60, P80, P100
- Putty Knife
(3cm, 5cm, 8cm, 10cm)
- Scraper Set
- Scotchbrite Hand Pads
- Coloured Rags 5kg
A-Grade
- Paint Trays
- Paint: PVA
Wall & Ceiling
Super Enamel
QD Enamel
Roadmarking
Plaster Primer
Roof & Paving
Sigma Products
- Dropsheets
(2m x 3m, 2m x 5)
- MEK Thinners
(5Lt, 25Lt, 200Lt)
- Lacquer Thinners
(750ml, 5Lt, 25Lt, 200Lt)
- Paraffin
(750ml, 5Lt, 25Lt)
- Etch Primer
(5Lt, 25Lt, 200Lt)
- Acetone
- White Rags 5kg

Safety



- Dust Masks
FFP1 & FFP2
- Half Mask Respirator + Cartridges
Single & Double
- Sporty Spectacles
Clear & Grey
- Safety Goggles
- Gumboots
(Size 5, 6, 7, 8, 9, 10)
- Safety Boots
- Royal Blue Overalls
- Orange Chin Straps
- Earplugs (Corded)
- Earmuffs
- Safety Gloves:
 - Flexinite Gloves
 - Red High Heat Gloves
 - Candystripe Gloves
 - PVC Elbow Gloves
 - Acid Resistent Gloves
 - Disposable Gloves
 - Cotton Gloves
- Paint Suits
- Rain Suites (Rubber)
- Reflective Bibs
(Assorted Sizes)

Gardening



- Hosepipe + Fittings
- Sprinklers
- Buckets (10 Liter)
- Watering Can
- Trimmer Line
- Shovels Round Nose
- Spade
- Steel Rakes
- Pick Head + Handle
- Wheelbarrow

Electrical



- Fluorecent Tubes
- Electric Cable:
 - Twin & Earth
 - Cabtyre
 - Surfix
- Insulation Tape
(Black, White, Blue Red, Yellow, Green)
- Isolaters
- Multiplug
(4 way, 5way, 6way 9way, 10way)
- Janus Copplers
- Circuit Breaker
- Halogen Floodlight
- Halogen Bulbs
- LED Daylight Bulbs
- Extention Cord
(3m, 5m, 10m, 20m, 30m)
- Cable Ties
(Various Size)
- Batteries
AA, AAA
- Thermostat
- Plug
Single & Dubble

Building



- Builders line
- Tile Cement
5kg, 20kg
- Tile Grout
5kg
- Tile Cutter
- Mitre Box
- Bolster
- Wheelbarrow
- Various Trowel
- Lintels
- Brickforce
- Damp Course
 - 3x3x250
 - 4x3x250
 - 6x3x250 + 6x3x150
- Cement 50Kg
- Pick Head + Handle

Sealants



- Various Sika Products
 - Sikaflex 11 FC (300ml, 600ml)
 - White, Brown, Black, Concrete Grey
 - Sikaflex 221
- Contractors Silicone (260ml)
- Contractors Acrylic (260ml)
- Marine Silicone (260ml)
- Fisher V360
- Contact Adhesive (250ml, 500ml, 1Lt, 5Lt)
- Duct Tape
- PVC Weld
- Masking Tape
 - 18mm x 40m
 - 24mm x 40m
 - 36mm x 40m
 - 48mm x 40m

Cabinetry



- Barrel Bolts + Necked Bolts
- Butt Hinges
- Door Handles
- Brackets
- T Hinge
- Hasp & Staple
- Flush Hinge
- Cabin Hooks

Plumbing



- Copper Tees
- Spare Rings
- Copper Pipe
- Plumbers Tape
- Holderbats
- Downpipe + accessories
- Bathroom Sink
- Stop End
- Reducer Tees
- Conduit Pipe
- Masterbats polycob
- PVC Gutter + accessories
- Toilets
- Shower Door

Tools



- Claw Hammer (450, 600mm)
- Ball Hammer (100G, 200G, 300G, 500G, 700G, 900G)
- Rubber Hammer
- Masonry Drill Bits
- Somta Drill Bits
- Pop Rivet Gun
- Bolt cutters
- Socket Spanners
- SDS, SDS Plus, SDS Max Drill Bits
- Bowsaw
- Hacksaw + Blades (24T, 32T)
- Screwdrivers
- Steel Drill Bits
- Assorted Pliers
- Angle Grinder (115mm & 230mm)
- Spanners (Various Sizes)

Fasteners



Washers & Nuts & Bolts: (E/G, S/Steel 304, S/Steel 316, HDG 8.8, HDG 4.8)

- Spring Washers (M5-M16)
- Flat Washers (M5-M30)
- Lock Nuts (M5-M16)
- Bolts (M5-M30) Various Lengths (order on request)
- Capscrews
- Fender Washer (M5- M16)
- Nuts (M5-M30)
- Eyebolts
- Nylon Anchors
- Roll Bolts



Chesterton

601 Chain Drive Pin & Bushing Lubricant
This superior lubricant was specially formulated to penetrate between the close clearance of chain drives bushings and pins to provide critical lubrication.
Rapid Penetration
Excellent Hydrodynamic Lubrication
Noticeably Extends Chain Life



723 Sprasolvo
Sprasolvo is a high quality, fast acting, penetrating oil which reaches deeply in and frees frozen nuts, bolts, and fittings without injuring the base metal. It breaks down rust.



803 Industrial & Marine Solvent II
This solvent can be used to remove grease, oil, waxes, loose paint and other heavy soils from hard surfaces. It will lift many of the most stubborn stains from surfaces that are faded and discolored from repeated spills



274 Industrial Degreaser
This degreaser is an industrial strength, hard surface degreaser which will dissolve grease, oil, tar and other similar water insoluble soils generally encountered in industrial & marine environments.



800 Goldend Tape
This tape is a high density, moldable, dry PTFE thread sealing tape. It is a heavy duty, tear-resistant product containing more PTFE per inch than virtually any thread sealing tape on the market today. Joints can be adjusted 90° or more without a leak.



629 High Temperature White Grease
This Grease is NSF registered and complies with FDA regulations 178.3570 and 177.1550. It can be the exclusive lubricating grease used in food, beverage, meat, poultry and pharmaceutical plants.





Chesterton

338 Super Rust Remover
This rust remover is an outstanding acid based rust removal and conditioning systems for all materials subject to oxide formations including ferrous metals, aluminum, copper, stainless steel & zinc. Dilutable up to 4 to 1.



785 Parting Lubricant
This lubricant can be used under extremely severe conditions of temperature and pressure to assist in assembly and disassembly of threaded components. Hardening will occur when used between -34°C to 1204°C (-30°F to 2200°F)



652 Pneumatic Lubricant & Conditioner
This is a high performance, low viscosity, lubricating formula designed to creep into the internal workings of air tools, reduce wear and eliminate noise associated with rough running equipment. It is a cost-effective oil with high detergency that cleans as it protects and dramatically prolongs the life of pneumatic equipment.
Application areas: Air Tools, Robotics, CNC Machinery, Pneumatic equipment.



615 (E) HTG #1 (High Temperature Grease)
It is a versatile performer needed in all applications requiring a heavy duty NLGI #1 grease. Superior resistance to water washout. Exceptional shear and roll resistance. Will not bleed or age harden.



388 Synthetic Tapping Fluid
This tapping fluid is a high performance, synthetic metal working fluid. It provides the industrial performance of conventional petroleum and solvent based fluids while eliminating the hazards normally associated with these traditional products.



Chesterton

715 Spraflex
This is a tacky asphaltic based material with asheres to surfaces and provides an elastic retractable film which cushions and lubricates load bearing surfaces. Corrosion & water resistant.



273 Electric Motor Cleaner
This cleaner is a non-flammable, non-conductive and non-corrosive solvent based degreaser. It can be used on operating equipment and electrical systems without concern as to fire hazard.



610HT Synthetic Lubricating Fluid
This is a premium quality full synthetic lubricant designed to provide lubrication at temperatures ranging from -25°C(-15°F) to those over 250°C(482°F) where petroleum lubricants are unable to function. It has excellent solvency and will actually remove many of these byproducts caused by other petroleum based lubricants and allow equipment to run cooler and more efficiently.



787 Sliding Paste
This paste is a premium quality pure synthetic lubricant that will function effectively even at high temperatures and pressures. Designed for the most severe conditions, it provides, lubrication at pressures up to 10687kg/cm² and 538°C.



ARC 5ES Patch and seal leaks up to 3mm diameter. Cure underwater and on damp surfaces. Meet the requirements of NSF 61 for cold area service. Easily apply by kneading together and press-affixing to surface.



ARC S2 Protect against corrosion & erosion. Provide improved material flow properties. Apply by brush, roller, airless or plural component spraying. High gloss, low drag surface. High adhesive strength.





Miscellaneous

- Brooms
(305mm, 375mm, 460mm, 610mm)
- Various Glues
- Water Tanks
- Padlock (Iron & Brass)
(20mm, 25mm, 32mm, 38mm, 50mm, 63mm)
- Double Sided Tape

*Items that are not included in the SPEC Hardware brochure can be ordered as per clients request.